

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S1 | 3604 | (709/250.ccls. or 370/463.ccls. or 375/219,220.ccls.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 11:39 |
| S2 | 5 | S1 and (protocol near3 (stack suite)) same ((generic near3 state near3 machine) (GSM)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 11:44 |
| S3 | 0 | S1 and (protocol near3 (stack suite)) and (generic near3 state near3 machine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 11:44 |
| S4 | 16 | (protocol near3 (stack suite)) and (generic near3 state near3 machine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 12:10 |
| S5 | 173 | (protocol near3 (stack suite)) same (state near3 machine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 12:16 |
| S6 | 2 | "5987035".did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 12:15 |
| S7 | 2 | "5546453".did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 12:15 |
| S8 | 63 | (protocol near3 (stack suite)) same ((programmable custom\$7 personaliz\$5 configur\$5) with (state near3 machine)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 10:12 |
| S9 | 1 | (protocol near3 (stack suite family)) same ((input incoming) with (event) with decoder) same (state near3 decoder) same (state near3 machine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 14:28 |
| S10 | 2 | (protocol near3 (stack suite family)) and ((input incoming) with (event) with decoder) and (state near3 decoder) and (state near3 machine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 14:30 |
| S11 | 3 | (protocol near3 (stack suite family)) and (event with decoder) and (state near3 decoder) and (state near3 machine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 14:30 |
| S12 | 141 | (protocol near3 (stack suite family)) and (SAP (service near3 access near3 point)) and (CID (connection near3 identif\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 14:32 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S13 | 10 | S12 and (state near3 decod\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 14:35 |
| S14 | 33 | S12 and (state near3 machine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 14:50 |
| S15 | 72 | (generic near3 state near3 machine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 14:50 |
| S16 | 44 | S15 and network | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/23 14:51 |
| S17 | 2 | "20020085696".did. and (state near3 machine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 10:48 |
| S18 | 3401 | ((programmable custom\$7 personaliz\$5 configur\$5) near3 (state near3 machine)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 10:51 |
| S19 | 220 | S18 and (protocol near3 (stack suite family)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/24 10:52 |
| S20 | 2 | "20020085696".did. and (state near3 machine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 09:34 |
| S21 | 2 | (input incomming) with (event trigger) with (SAP (service near3 access near3 point)) with (connection identif\$7) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 10:03 |
| S22 | 1404 | (SAP (service near3 access near3 point)) with (connection identif\$7) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 10:06 |
| S23 | 287 | (SAP (service near3 access near3 point)) with (connection identif\$7) and (protocol near3 (stack suite family)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 10:04 |
| S24 | 40 | S23 and state near3 machine | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 10:05 |
| S25 | 52 | (SAP (service near3 access near3 point)) with (connection near3 identif\$7) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 10:06 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S26 | 337 | ((protocol near3 (stack suite)) and ((programmable custom\$7 personaliz\$5 configur\$5) with (state near3 machine))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 12:18 |
| S27 | 215 | ((protocol near3 (stack suite)) and ((programmable custom\$7 personaliz\$5 configur\$5) near3 (state near3 machine))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 11:52 |
| S28 | 52 | (SAP (service near3 access near3 point)) with (connection near3 identif\$7) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 11:54 |
| S29 | 89 | (SAP (service near3 access near3 point)) same (connection near3 identif\$7) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 11:54 |
| S30 | 2 | S29 and (state near3 decod\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 11:55 |
| S31 | 8 | S29 and state with context | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 11:57 |
| S32 | 10 | S29 and state same context | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 11:58 |
| S33 | 34 | S29 and state and context | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 11:58 |
| S34 | 5920 | ((programmable custom\$7 personaliz\$5 configur\$5) with (state near3 machine)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 12:18 |
| S35 | 3401 | ((programmable custom\$7 personaliz\$5 configur\$5) near3 (state near3 machine)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 12:19 |
| S36 | 2034 | S35 and @ad<"20010511" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 12:19 |
| S37 | 1112 | S36 and ((network) or (protocol near3 stack family suite)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 12:21 |
| S38 | 329 | S36 and ((network) and (protocol near3 stack family suite)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 12:20 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S39 | 1002 | S36 and ((network) or (protocol near3 (stack family suite))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 12:21 |
| S40 | 91 | S36 and (network) and (protocol near3 (stack family suite)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 12:37 |
| S41 | 171 | (ss7 with (protocol near3 stack)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 12:37 |
| S42 | 15 | S41 and (state near3 machine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 12:46 |
| S43 | 5 | S41 and (input near3 event) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 12:49 |
| S44 | 567 | (state near3 machine) with (context) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 12:49 |
| S45 | 48 | (state near3 machine) with (configur\$5 personaliz\$5 programmable generic) with (context) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/25 12:50 |
| S46 | 74 | (protocol near3 stack) with (state near3 machine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/28 10:11 |
| S47 | 123 | (protocol near3 stack) same (state near3 machine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/28 10:11 |
| S48 | 1 | (SS7 with (protocol near3 stack)) same (state near3 machine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/28 10:13 |
| S49 | 123 | (protocol near3 stack) same (state near3 machine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/28 10:13 |
| S50 | 4 | ("5528763" "5544160" "5640398" "6167062").PN. OR ("6628660").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/02/28 11:09 |
| S51 | 0 | (input incomming) with (decoder) with (access near3 point) with (id identif\$7) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/28 12:07 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S52 | 57 | ((service near3 access near3 point) SAP) with ((connection near3 (identif\$7 ID)) CID) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/28 12:09 |
| S53 | 16 | (US-20010032069-\$ or US-20010055281-\$ or US-20020085696-\$ or US-20020161907-\$ or US-20020186697-\$ or US-20040100952-\$ or US-20040111535-\$ or US-20030076938-\$).did. or (US-5634015-\$ or US-5991541-\$ or US-6549882-\$ or US-6628660-\$ or US-6629263-\$ or US-5640398-\$ or US-6009093-\$).did. or (WO-200228047-\$).did. | US-PGPUB; USPAT; DERWENT | OR | ON | 2005/02/28 15:39 |
| S54 | 11 | S53 and (CRC test\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/28 15:40 |
| S55 | 16 | (US-20010032069-\$ or US-20010055281-\$ or US-20020085696-\$ or US-20020161907-\$ or US-20020186697-\$ or US-20040100952-\$ or US-20040111535-\$ or US-20030076938-\$).did. or (US-5634015-\$ or US-5991541-\$ or US-6549882-\$ or US-6628660-\$ or US-6629263-\$ or US-5640398-\$ or US-6009093-\$).did. or (WO-200228047-\$).did. | US-PGPUB; USPAT; DERWENT | OR | ON | 2005/03/01 08:53 |
| S56 | 1 | S55 and CRC | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/01 08:53 |
| S57 | 1 | (CRC with (protocol near3 overhead)) and (protocol near3 stack) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/01 08:59 |
| S58 | 7 | (CRC with (protocol near3 overhead)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/01 09:07 |
| S59 | 1170 | (CRC and (protocol near3 stack)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/01 09:08 |
| S60 | 10 | (CRC with (protocol near3 stack)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/01 09:11 |
| S61 | 70 | (CRC same (protocol near3 stack)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/01 09:11 |
| S62 | 13 | (ATM same AAL same SSCF same SSCOP) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/01 11:13 |